

## AutoIDweb Sample XML (Version 3.0)

```
<?xml version="1.0" encoding="UTF-8"?>
<DynaForm>
  <Settings>
    <PrintBreak>all</PrintBreak>
    <UseNewYorkCard>True</UseNewYorkCard>
    <DynaFormUserID>81</DynaFormUserID>
  </Settings>
  <Firm>
    <Properties1>
      <name>Your Insurance Company/Agency</name>
      <add1>1234 Maple Ave.</add1>
      <city>Anywhere</city>
      <state>US</state>
      <zip>12345</zip>
      <phone>800-555-1212</phone>
      <homestate>25</homestate>
      <mktglogopath>C:\autoidweb.emf</mktglogopath>
      <mktgmsgline1>Insert your own message to</mktgmsgline1>
      <mktgmsgline2>policyholders here.</mktgmsgline2>
      <nyissuerid>PC-123456</nyissuerid>
      <nyissuerkey>0001F80EB53CCDAC28704A99C62901E4AC8D</nyissuerkey>
      <nyissuerpin>05096</nyissuerpin>
      <sgntrimgpath>C:\fergtech\autoidweb\SignatureImgs\sig1.gif</sgntrimgpath>
      <baselinexcoord>360</baselinexcoord>
      <baselineycoord>360</baselineycoord>
    </Properties1>
    <DefaultStateSpecific>
      <oka>true</oka>
      <okc>false</okc>
      <okd>false</okd>
      <okg>false</okg>
      <okl>false</okl>
      <okn>false</okn>
      <okr>false</okr>
      <okr1>false</okr1>
      <oku>false</oku>
      <oks>false</oks>
      <okt>false</okt>
      <okz>false</okz>
      <njuseinscodata>true</njuseinscodata>
      <nvpolicytype>false</nvpolicytype>
    </DefaultStateSpecific>
    <Insureds>
      <Insured>
        <Properties2>
          <type>true</type>
          <add1>210 Washington Ave</add1>
          <city>Albany</city>
          <state>NY</state>
          <zip>12210-1312</zip>
          <orgname1>Empire Parts Inc</orgname1>
          <fein>12-345678</fein>
        </Properties2>
        <Policies>
          <Policy>
            <Properties3>
              <number>ABC987654321</number>
              <insconame>Any Insurance Company</insconame>
              <inscoadd1>100 Fifth Ave</inscoadd1>
              <inscocity>New York</inscocity>
              <inscostate>NY</inscostate>
            </Properties3>
          </Policy>
        </Policies>
      </Insured>
    </Insureds>
  </Firm>
</DynaForm>
```

## AutoIDweb Sample XML (Version 3.0)

---

```
<inscozip>10010</inscozip>
<inscophone>800-555-1212</inscophone>
<insconum>12345</insconum>
<effdate>1/1/2004</effdate>
<expdate>1/1/2005</expdate>
<naic>12345</naic>
<azdot>12345</azdot>
<flinsconum>3245</flinsconum>
<kydoiid>321</kydoiid>
<njinscocode>321</njinscocode>
<ny_icc>321</ny_icc>
</Properties3>
<PrintSettings>
  <cardsperpage>3</cardsperpage>
  <cardssortby>1</cardssortby>
  <cardssortorder>0</cardssortorder>
  <gridlines>true</gridlines>
  <usemarketinginfo>true</usemarketinginfo>
  <usedriverinfo>false</usedriverinfo>
  <printcardmsg>false</printcardmsg>
</PrintSettings>
<StateSpecific>
  <oka>false</oka>
  <okc>false</okc>
  <okd>false</okd>
  <okg>false</okg>
  <okl>false</okl>
  <okn>false</okn>
  <okr>false</okr>
  <okr1>false</okr1>
  <oku>false</oku>
  <oks>false</oks>
  <okt>false</okt>
  <okz>false</okz>
  <njuseinscodata>true</njuseinscodata>
  <nvpolicytype>true</nvpolicytype>
</StateSpecific>
<Vehicles>
  <Vehicle>
    <effdate>1/1/2004</effdate>
    <expdate>1/1/2005</expdate>
    <state>AR</state>
    <fleet>false</fleet>
    <year>1999</year>
    <make>Ford</make>
    <model>Explorer</model>
    <vin>1FMDU24E8XUA68570</vin>
    <quantity>1</quantity>
    <reguse>false</reguse>
    <regisind>false</regisind>
    <replveh>false</replveh>
    <histveh>false</histveh>
    <towtruck>false</towtruck>
    <seats>2</seats>
    <vinoverride>false</vinoverride>
    <nycardtype>false</nycardtype>
    <lessorusage>0</lessorusage>
  </Vehicle>
  <Vehicle>
    <effdate>1/1/2004</effdate>
    <expdate>1/1/2005</expdate>
```

## AutoIDweb Sample XML (Version 3.0)

---

```
<state>AK</state>
<fleet>>false</fleet>
<year>1999</year>
<make>Ford</make>
<model>Explorer</model>
<vin>1FMDU24E8XUA68570</vin>
<quantity>1</quantity>
<reguse>>false</reguse>
<regisind>>false</regisind>
<replveh>>false</replveh>
<histveh>>false</histveh>
<towtruck>>false</towtruck>
<seats>2</seats>
<vinoverride>>false</vinoverride>
<nycardtype>>false</nycardtype>
<lessorusage>0</lessorusage>
</Vehicle>
<Vehicle>
  <effdate>1/1/2004</effdate>
  <expdate>1/1/2005</expdate>
  <state>AL</state>
  <fleet>>false</fleet>
  <year>1999</year>
  <make>Ford</make>
  <model>Explorer</model>
  <vin>1FMDU24E8XUA68570</vin>
  <quantity>1</quantity>
  <reguse>>false</reguse>
  <regisind>>false</regisind>
  <replveh>>false</replveh>
  <histveh>>false</histveh>
  <towtruck>>false</towtruck>
  <seats>2</seats>
  <vinoverride>>false</vinoverride>
  <nycardtype>>false</nycardtype>
  <lessorusage>0</lessorusage>
</Vehicle>
<Vehicle>
  <effdate>1/1/2004</effdate>
  <expdate>1/1/2005</expdate>
  <state>AZ</state>
  <fleet>>false</fleet>
  <year>1999</year>
  <make>Ford</make>
  <model>Explorer</model>
  <vin>1FMDU24E8XUA68570</vin>
  <quantity>1</quantity>
  <reguse>>false</reguse>
  <regisind>>false</regisind>
  <replveh>>false</replveh>
  <histveh>>false</histveh>
  <towtruck>>false</towtruck>
  <seats>2</seats>
  <vinoverride>>false</vinoverride>
  <nycardtype>>false</nycardtype>
  <lessorusage>0</lessorusage>
</Vehicle>
<Vehicle>
  <effdate>1/1/2004</effdate>
  <expdate>1/1/2005</expdate>
  <state>CA</state>
```

## AutoIDweb Sample XML (Version 3.0)

---

```
<fleet>false</fleet>
<year>1999</year>
<make>Ford</make>
<model>Explorer</model>
<vin>1FMDU24E8XUA68570</vin>
<quantity>1</quantity>
<reguse>false</reguse>
<regisind>false</regisind>
<replveh>false</replveh>
<histveh>false</histveh>
<towtruck>false</towtruck>
<seats>2</seats>
<vinoverride>false</vinoverride>
<nycardtype>false</nycardtype>
<lessorusage>0</lessorusage>
</Vehicle>
</Vehicles>
</Policy>
</Policies>
</Insured>
</Insureds>
</Firm>
</DynaForm>
```